STAUFF ANGLIA

Pipeline Products for all Industries

Product Information



INTERLOCK HOSE FERRULES AND INSERTS

Stauff Anglia Limited
405 Coppersmith Way | Wymondham | Norfolk NR18 0WY
T: 01953 857158 F: 01953 857159 E: Sales@stauffanglia.co.uk
www.stauffanglia.com

STAUFF ANGLIA

Pipeline Products for all Industries

Product Information

INDEX

BHH SWAGED INTERLOCK FERRULE 1
BH13 SWAGED INTERLOCK FERRULE 1
CH----FGSO - BSP STRAIGHT FEMALE - 60° O'RING CONE 2
CH----FGSO45B - 45° BSP SWEPT ELBOW - 60° O'RING CONE ONE PIECE 2
CH----FGSO90B - 90° BSP SWEPT ELBOW - 60° O'RING CONE ONE PIECE 3
CH----FIS - J.I.C. STRAIGHT FEMALE - 74° CONE SEAT 4
CH----FIS45B - J.I.C. 45° SWEPT ELBOW - 74° CONE SEAT - ONE PIECE 5
CH----FIS90B - J.I.C. 90° SWEPT ELBOW - 74° CONE SEAT - ONE PIECE 5
CH----FRS - ORFS STRAIGHT FEMALE 6
CH----FRS45B - 45° ORFS SWEPT ELBOW 7
CH----FRS90B - 90° ORFS SWEPT ELBOW 7
CH----MG - BSP MALE - PARALLEL - 60° CONE SEAT 1
CH----MGC - BSP MALE - TAPER - 60° CONE SEAT 1
CH----MI - J.I.C. MALE - 74° CONE 3
CH----MRS - ORFS MALE 6
CH----NPT - NPTF MALE - 60° CONE SEAT 4
CH---FL45B - 45° SWEPT ELBOW - SAE J518 FLANGE - 3000 PSI - ONE PIECE 11
CH---FL90B - 90° SWEPT ELBOW - SAE J518 FLANGE - 3000 PSI - ONE PIECE 12
CH---FLB - STRAIGHT SAE J518 FLANGE - 3000 PSI - ONE PIECE 10
CH---FP45B - 45° SWEPT ELBOW - SAE J518 FLANGE - 6000 PSI - ONE PIECE 14
CH---FP90B - 90° SWEPT ELBOW - SAE J518 FLANGE - 6000 PSI - ONE PIECE 15
CH---FPB - STRAIGHT SAE J518 FLANGE - 6000 PSI - ONE PIECE 13
CH---YBP - STRAIGHT "SUPERCAT" FLANGE - ONE PIECE 16
CH---YP45B - 45° "SUPERCAT" FLANGE - ONE PIECE 16
CH---YP90B - 90° "SUPERCAT" FLANGE - ONE PIECE 17
CH-FOS---O'RING METRIC FEMALE - 24° CONE - HEAVY TYPE 8
CH-FOS---45B - 45° METRIC SWEPT ELBOW - 24° CONE - HEAVY TYPE 9
CH-FOS---90B - 90° METRIC SWEPT ELBOW - 24° CONE - HEAVY TYPE 9
CH-MM---METRIC MALE - 24° CONE SEAT - HEAVY TYPE 8

Stauff Anglia Limited
405 Coppersmith Way | Wymondham | Norfolk NR18 0WY
T: 01953 857158 F: 01953 857159 E: Sales@stauffanglia.co.uk

www.stauffanglia.com

BHH SWAGED INTERLOCK FERRULE



000000 00 10SAP10 0 1010100 0 100011111					mm		
	CODE	DN	SIZE	INCH	D	L	APPLICATIONS
2020000673	BHH12	20	12	3/4	38	60	4SP, 4SH, R12, R13, R15
2020000674	BHH16	25	16	1	46	74,5	4SP, 4SH, R13, R15
2020000675	BHH20	32	20	1.1/4	55	88	4SP, 4SH
2020000676	BHH24	40	24	1.1/2	62	94	4SP, 4SH
2020000677	BHH32	50	32	2	78,5	99	4SP, 4SH

BH13 SWAGED INTERLOCK FERRULE



000000 00 10SAP10 0 1010100 0 100011111					mm		
	CODE	DN	SIZE	INCH	D	L	APPLICATIONS
2020000670	BH1320	32	20	1.1/4	59,8	88	R13, R15
2020000671	BH1324	40	24	1.1/2	67	94	R13
2020000672	BH1332	50	32	2	84,5	99	R13

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH----MG - BSP MALE - PARALLEL - 60° CONE SEAT





SAP CODE	CODE	DN	SIZE	INCH	F	H	L	S	BAR	PSI
2020036327	CH1212MG	19	12	3/4	3/4"-14	35	97	32	420	6000
2020031206	CH1616MG	25	16	1	1"-11	41	114	41	380	5500
2020036819	CH1620MG	25	16	1	1.1/4"-11	44	117	50	325	4700
2020000853	CH2020MG	31	20	1.1/4	1.1/4"-11	46	134	50	325	4700
2020039175	CH2424MG	38	24	1.1/2	1.1/2"-11	49	143	55	290	4200
2020053364	CH3232MG	51	32	2	2"-11	56	154	70	250	3600

CH----MGC - BSP MALE - TAPER - 60° CONE SEAT





SAP CODE	CODE	DN	SIZE	INCH	F	H	L	S	BAR	PSI
2020000797	CH1212MGC	19	12	3/4	3/4"-14	34	96	27	280	4000
2020066393	CH1616MGC	25	16	1	1"-11	40	113	36	280	4000
2020066394	CH2020MGC	31	20	1.1/4	1.1/4"-11	47	135	46	210	3000
2020066395	CH2424MGC	38	24	1.1/2	1.1/2"-11	48	142	50	185	2700
2020066396	CH3232MGC	51	32	2	2"-11	57	155	65	175	2500

CH----FGSO - BSP STRAIGHT FEMALE - 60° O'RING CONE





SAP CODE	CODE	DN	SIZE	INCH	F	H	L	S	O'RING	BAR	PSI
2020000785	CH1212FGSO	19	12	3/4	3/4"-14	25	87	32	16x1,5	420	6000
2020032413	CH1616FGSO	25	16	1	1"-11	30	103	41	22x1,5	380	5500
2020066397	CH1620FGSO	25	16	1	1.1/4"-11	33	106	50	28,3x1,78	325	4700
2020038786	CH2020FGSO	31	20	1.1/4	1.1/4"-11	35	122	50	28,3x1,78	325	4700
2020032780	CH2424FGSO	38	24	1.1/2	1.1/2"-11	36	130	60	33,05x1,78	290	4200
2020037611	CH3232FGSO	51	32	2	2"-11	40	138	75	44,17x1,78	250	3600

CH----FGSO45B - 45° BSP SWEPT ELBOW - 60° O'RING CONE ONE PIECE





	CODE	DN	SIZE	INCH	F	H	L	K	S	O'RING	BAR	PSI
2020000786	CH1212FGSO45B	19	12	3/4	3/4"-14	68	130	32	32	16x1,5	420	6000
2020000817	CH1616FGSO45B	25	16	1	1"-11	86	159	39	41	22x1,5	380	5500
2020066398	CH1620FGSO45B	25	16	1	1.1/4"-11	88	161	41	50	28,3x1,78	325	4700
2020032997	CH2020FGSO45B	31	20	1.1/4	1.1/4"-11	107	195	47	50	28,3x1,78	325	4700
2020047629	CH2424FGSO45B	38	24	1.1/2	1.1/2"-11	126	220	55	60	33,05x1,78	290	4200
2020000879	CH3232FGSO45B	51	32	2	2"-11	160	258	66	75	44,17x1,78	250	3600

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH----FGSO90B - 90° BSP SWEPT ELBOW - 60° O'RING CONE ONE PIECE





000000100 10SAP1010 101010000 100011111								mm				
	CODE	DN	SIZE	INCH	F	H	L	K	S	O'RING	BAR	PSI
2020066399	CH1212FGSO90B	19	12	3/4	3/4"-14	68	130	32	32	16x1,5	420	6000
2020035269	CH1616FGSO90B	25	16	1	1"-11	86	159	39	41	22x1,5	380	5500
2020066868	CH1620FGSO90B	25	16	1	1.1/4"-11	88	161	41	50	28,3x1,78	325	4700
2020034137	CH2020FGSO90B	31	20	1.1/4	1.1/4"-11	107	195	47	50	28,3x1,78	325	4700
2020035374	CH2424FGSO90B	38	24	1.1/2	1.1/2"-11	126	220	55	60	33,05x1,78	290	4200
2020000880	CH3232FGSO90B	51	32	2	2"-11	160	258	66	75	44,17x1,78	250	3600

CH----MI - J.I.C. MALE - 74° CONE





000000100 10SAP1010 101010000 100011111							mm			
	CODE	DN	SIZE	INCH	F	H	L	K	BAR	PSI
2020000798	CH1212MI	19	12	3/4	1.1/16"-12	38	99	27	350	5000
2020066401	CH1214MI	19	12	3/4	1.3/16"-12	39	101	32	280	4000
2020066402	CH1216MI	19	12	3/4	1.5/16"-12	41	102	36	280	4000
2020000827	CH1616MI	25	16	1	1.5/16"-12	42	114	36	280	4000
2020066403	CH1620MI	25	16	1	1.5/8"-12	45	117	46	210	3000
2020000854	CH2020MI	31	20	1.1/4	1.5/8"-12	47	134	46	210	3000
2020066404	CH2024MI	31	20	1.1/4	1.7/8"-12	51	139	50	185	2700
2020066405	CH2424MI	38	24	1.1/2	1.7/8"-12	52	145	50	185	2700
2020066406	CH3232MI	51	32	2	2.1/2"-12	63	160	65	175	2500

CH----NPT - NPTF MALE - 60° CONE SEAT





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	S	BAR	PSI
2020000799	CH1212NPT	20	12	3/4	3/4"-14	34	98	27	280	4000
2020000807	CH1216NPT	20	12	3/4	1"-11,5	42	103	36	280	4000
2020000828	CH1616NPT	25	16	1	1"-11,5	42	115	36	280	4000
2020066407	CH1620NPT	25	16	1	1.1/4"-11,5	45	118	46	210	3000
2020000855	CH2020NPT	32	20	1.1/4	1.1/4"-11,5	47	135	46	210	3000
2020066408	CH2024NPT	32	20	1.1/4	1.1/2"-11,5	50	137	50	185	2700
2020000875	CH2424NPT	40	24	1.1/2	1.1/2"-11,5	50	144	50	185	2700
2020000890	CH3232NPT	50	32	2	2"-11,5	55	153	60	175	2500

CH----FIS - J.I.C. STRAIGHT FEMALE - 74° CONE SEAT





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	S	BAR	PSI
2020040511	CH1212FIS	19	12	3/4	1.1/16"-12	20	82	32	350	5000
2020066409	CH1214FIS	19	12	3/4	1.3/16"-12	21,5	83	36	280	4000
2020043502	CH1216FIS	19	12	3/4	1.5/16"-12	22,5	84	41	280	4000
2020034138	CH1616FIS	25	16	1	1.5/16"-12	23,5	96	41	280	4000
2020043503	CH1620FIS	25	16	1	1.5/8"-12	28	101	50	210	3000
2020033755	CH2020FIS	31	20	1.1/4	1.5/8"-12	29	117	50	210	3000
2020037454	CH2024FIS	31	20	1.1/4	1.7/8"-12	29,5	117	60	185	2700
2020000866	CH2424FIS	38	24	1.1/2	1.7/8"-12	30	124	60	185	2700
2020037123	CH3232FIS	51	32	2	2.1/2"-12	37	135	75	175	2500

CH----FIS45B - J.I.C. 45° SWEPT ELBOW - 74° CONE SEAT - ONE PIECE





	CODE	DN	SIZE	INCH	F	H	L	K	S	BAR	PSI
2020000789	CH1212FIS45B	19	12	3/4	1.1/16"-12	64	126	28	32	350	5000
2020066410	CH1214FIS45B	19	12	3/4	1.3/16"-12	65	127	29	36	280	4000
2020066411	CH1216FIS45B	19	12	3/4	1.5/16"-12	68	130	32	41	280	4000
2020000820	CH1616FIS45B	25	16	1	1.5/16"-12	82	155	35	41	280	4000
2020066443	CH1620FIS45B	25	16	1	1.5/8"-12	84	157	37	50	210	3000
2020000845	CH2020FIS45B	31	20	1.1/4	1.5/8"-12	103	191	43	50	210	3000
2020066412	CH2024FIS45B	31	20	1.1/4	1.7/8"-12	103	191	43	60	185	2700
2020000867	CH2424FIS45B	38	24	1.1/2	1.7/8"-12	121	215	50	60	185	2700
2020000882	CH3232FIS45B	51	32	2	2.1/2"-12	158	256	65	75	175	2500

CH----FIS90B - J.I.C. 90° SWEPT ELBOW - 74° CONE SEAT - ONE PIECE





	CODE	DN	SIZE	INCH	F	H	L	K	S	BAR	PSI
2020000790	CH1212FIS90B	19	12	3/4	1.1/16"-12	55	117	58	32	350	5000
2020066413	CH1214FIS90B	19	12	3/4	1.3/16"-12	55	117	59	36	280	4000
2020066414	CH1216FIS90B	19	12	3/4	1.5/16"-12	55	117	63	41	280	4000
2020039427	CH1616FIS90B	25	16	1	1.5/16"-12	71	144	73	41	280	4000
2020043504	CH1620FIS90B	25	16	1	1.5/8"-12	71	144	76	50	210	3000
2020000846	CH2020FIS90B	31	20	1.1/4	1.5/8"-12	90	177	91	50	210	3000
2020037453	CH2024FIS90B	31	20	1.1/4	1.7/8"-12	90	177	91	60	185	2700
2020000868	CH2424FIS90B	38	24	1.1/2	1.7/8"-12	107	201	106	60	185	2700
2020000883	CH3232FIS90B	51	32	2	2.1/2"-12	140	240	139	75	175	2500

CH----MRS - ORFS MALE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	S	O'RING	BAR	PSI
2020066415	CH1212MRS	19	12	3/4	1.3/16"-12	34	95	32	18,77x1,78	420	6000
2020038290	CH1616MRS	25	16	1	1.7/16"-12	37	110	41	23,52x1,78	415	6000
2020039154	CH2020MRS	31	20	1.1/4	1.11/16"-12	40	128	46	29,87x1,78	345	5000
2020066416	CH2424MRS	38	24	1.1/2	2"-12	43	136	55	37,82x1,78	250	4200

CH----FRS - ORFS STRAIGHT FEMALE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	S	BAR	PSI
2020038289	CH1212FRS	19	12	3/4	1.3/16"-12	35	97	36	420	6000
2020031928	CH1616FRS	25	16	1	1.7/16"-12	37	110	41	415	6000
2020032583	CH2020FRS	31	20	1.1/4	1.11/16"-12	38	126	50	345	5000
2020042451	CH2424FRS	38	24	1.1/2	2"-12	39	132	60	290	4200

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH----FRS45B - 45° ORFS SWEPT ELBOW





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	K	S	BAR	PSI
2020039071	CH1212FRS45B	19	12	3/4	1.3/16"-12	63	125	26	36	420	6000
2020031929	CH1616FRS45B	25	16	1	1.7/16"-12	78	151	31	41	415	6000
2020038085	CH2020FRS45B	31	20	1.1/4	1.11/16"-12	96	184	36	50	345	5000
2020066417	CH2424FRS45B	38	24	1.1/2	2"-12	113	207	42	60	290	4200

CH----FRS90B - 90° ORFS SWEPT ELBOW





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	K	S	BAR	PSI
2020039072	CH1212FRS90B	19	12	3/4	1.3/16"-12	56	118	55	36	420	6000
2020031930	CH1616FRS90B	25	16	1	1.7/16"-12	71	144	67	41	415	6000
2020032584	CH2020FRS90B	31	20	1.1/4	1.11/16"-12	90	177	81	50	345	5000
2020042452	CH2424FRS90B	38	24	1.1/2	2"-12	107	201	95	60	290	4200

CH-MM---METRIC MALE - 24° CONE SEAT - HEAVY TYPE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	K	E	BAR	PSI
2020066418	CH12MM20S	19	12	3/4	M 30x2	31	93	30	20	420	6000
2020000815	CH12MM25S	19	12	3/4	M 36x2	35	97	36	25	420	6000
2020031207	CH16MM25S	25	16	1	M 36x2	36	109	36	25	380	5500
2020000840	CH16MM30S	25	16	1	M 42x2	40	113	46	30	380	5500
2020042909	CH20MM30S	31	20	1.1/4	M 42x2	42	130	46	30	325	4700
2020000862	CH20MM38S	31	20	1.1/4	M 52x2	46	134	55	38	325	4700
2020031217	CH24MM38S	38	24	1.1/2	M 52x2	47	141	55	38	290	4200

CH-FOS---O'RING METRIC FEMALE - 24° CONE - HEAVY TYPE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	S	O'RING	BAR	PSI
2020000809	CH12FOS20S	19	12	3/4	M 30x2	33	95	36	16,3x2,4	420	6000
2020000812	CH12FOS25S	19	12	3/4	M 36x2	36	98	41	20,3x2,4	420	6000
2020000837	CH16FOS25S	25	16	1	M 36x2	37	110	41	22x2	380	5500
2020000838	CH16FOS30S	25	16	1	M 42x2	39	112	50	25,3x2,4	380	5500
2020039853	CH20FOS30S	31	20	1.1/4	M 42x2	41	128	50	25,3x2,4	325	4700
2020000860	CH20FOS38S	31	20	1.1/4	M 52x2	43	131	60	33,3x2,4	325	4700
2020000876	CH24FOS38S	38	24	1.1/2	M 52x2	44	138	60	33,3x2,4	290	4200

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH-FOS---45B - 45° METRIC SWEPT ELBOW - 24° CONE - HEAVY TYPE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	K	S	O'RING	BAR	PSI
2020000810	CH12FOS20S45B	19	12	3/4	M 30x2	67	129	29	36	16,3x2,4	420	6000
2020000813	CH12FOS25S45B	19	12	3/4	M 36x2	66	128	30	41	20,3x2,4	420	6000
2020040605	CH16FOS25S45B	25	16	1	M 36x2	81	154	33	41	22x2	380	5500
2020031208	CH16FOS30S45B	25	16	1	M 42x2	81	154	33	50	25,3x2,4	380	5500
2020066419	CH20FOS30S45B	31	20	1.1/4	M 42x2	99	187	39	50	25,3x2,4	325	4700
2020031218	CH20FOS38S45B	31	20	1.1/4	M 52x2	100	188	40	60	33,3x2,4	325	4700
2020000877	CH24FOS38S45B	38	24	1.1/2	M 52x2	116	210	44	60	33,3x2,4	290	4200

CH-FOS---90B - 90° METRIC SWEPT ELBOW - 24° CONE - HEAVY TYPE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	F	H	L	K	S	O'RING	BAR	PSI
2020000811	CH12FOS20S90B	19	12	3/4	M 30x2	55	117	60	36	16,3x2,4	420	6000
2020000814	CH12FOS25S90B	19	12	3/4	M 36x2	55	117	60	41	20,3x2,4	420	6000
2020031198	CH16FOS25S90B	25	16	1	M 36x2	71	144	71	41	22x2	380	5500
2020000839	CH16FOS30S90B	25	16	1	M 42x2	71	144	71	50	25,3x2,4	380	5500
2020039854	CH20FOS30S90B	31	20	1.1/4	M 42x2	90	177	85	50	25,3x2,4	325	4700
2020000861	CH20FOS38S90B	31	20	1.1/4	M 52x2	90	177	86	60	33,3x2,4	325	4700
2020031390	CH24FOS38S90B	38	24	1.1/2	M 52x2	107	201	98	60	33,3x2,4	290	4200

CH---FLB - STRAIGHT SAE J518 FLANGE - 3000 PSI - ONE PIECE





	CODE	DN	SIZE	INCH	INCH	H	L	A	O'RING	BAR	PSI
2020000793	CH1212FLB	19	12	3/4	3/4	52	113	38	24,99x3,53	350	5000
2020000803	CH1216FLB	19	12	3/4	1	58	119	44,5	32,92x3.53	350	5000
2020066420	CH1612FLB	25	16	1	3/4	53	125	38	24,99x3,53	350	5000
2020000823	CH1616FLB	25	16	1	1	59	131	44,5	32,92x3.53	350	5000
2020000833	CH1620FLB	25	16	1	1.1/4	63	135	51	37,69x3,53	280	4000
2020000849	CH2020FLB	31	20	1.1/4	1.1/4	64	151	51	37,69x3,53	280	4000
2020000857	CH2024FLB	31	20	1.1/4	1.1/2	69	156	60,5	47,22x3,53	210	3000
2020000871	CH2424FLB	38	24	1.1/2	1.1/2	69	163	60,5	47,22x3,53	210	3000
2020066421	CH2432FLB	38	24	1.1/2	2	74	168	71,5	56,74x3,53	210	3000
2020000886	CH3232FLB	51	32	2	2	76	173	71,5	56,74x3,53	210	3000

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH---FL45B - 45° SWEPT ELBOW - SAE J518 FLANGE - 3000 PSI - ONE PIECE





000000100 10SAP1010 101010000 100011111								mm				
	CODE	DN	SIZE	INCH	INCH	H	L	K	A	O'RING	BAR	PSI
2020000791	CH1212FL45B	19	12	3/4	3/4	63	125	27	38	24,99x3,53	350	5000
2020000801	CH1216FL45B	19	12	3/4	1	67	129	31	44,5	32,92x3.53	350	5000
2020066422	CH1612FL45B	25	16	1	3/4	78	151	31	38	24,99x3,53	350	5000
2020000821	CH1616FL45B	25	16	1	1	79	152	32	44,5	32,92x3.53	350	5000
2020000831	CH1620FL45B	25	16	1	1.1/4	80	153	33	51	37,69x3,53	280	4000
2020000847	CH2020FL45B	31	20	1.1/4	1.1/4	99	187	39	51	37,69x3,53	280	4000
2020066444	CH2024FL45B	31	20	1.1/4	1.1/2	99	187	39	60,5	47,22x3,53	210	3000
2020000869	CH2424FL45B	38	24	1.1/2	1.1/2	117	211	46	60,5	47,22x3,53	210	3000
2020066423	CH2432FL45B	38	24	1.1/2	2	118	212	47	71,5	56,74x3,53	210	3000
2020000884	CH3232FL45B	51	32	2	2	152	250	58	71,5	56,74x3,53	210	3000

CH---FL90B - 90° SWEPT ELBOW - SAE J518 FLANGE - 3000 PSI - ONE PIECE





000000100 10SAP1010 101010000 100011111								mm				
	CODE	DN	SIZE	INCH	INCH	H	L	K	A	O'RING	BAR	PSI
2020000792	CH1212FL90B	19	12	3/4	3/4	56	118	56	38	24,99x3,53	350	5000
2020000802	CH1216FL90B	19	12	3/4	1	56	118	61	44,5	32,92x3.53	350	5000
2020066424	CH1612FL90B	25	16	1	3/4	72	145	67	38	24,99x3,53	350	5000
2020000822	CH1616FL90B	25	16	1	1	72	145	68	44,5	32,92x3.53	350	5000
2020000832	CH1620FL90B	25	16	1	1.1/4	72	145	70	51	37,69x3,53	280	4000
2020000848	CH2020FL90B	31	20	1.1/4	1.1/4	91	178	85	51	37,69x3,53	280	4000
2020000856	CH2024FL90B	31	20	1.1/4	1.1/2	91	178	85	60,5	47,22x3,53	210	3000
2020000870	CH2424FL90B	38	24	1.1/2	1.1/2	108	202	100	60,5	47,22x3,53	210	3000
2020036510	CH2432FL90B	38	24	1.1/2	2	108	202	102	71,5	56,74x3,53	210	3000
2020000885	CH3232FL90B	51	32	2	2	143	281	129	71,5	56,74x3,53	210	3000

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH---FPB - STRAIGHT SAE J518 FLANGE - 6000 PSI - ONE PIECE





000000100 10SAP1010 101010000 100011111							mm				
	CODE	DN	SIZE	INCH	INCH	H	L	A	O'RING	BAR	PSI
2020000796	CH1212FPB	19	12	3/4	3/4	58	120	41,3	24,99x3,53	420	6000
2020000806	CH1216FPB	19	12	3/4	1	60	122	47,6	32,92x3.53	420	6000
2020066425	CH1612FPB	25	16	1	3/4	59	132	41,3	24,99x3,53	415	6000
2020000826	CH1616FPB	25	16	1	1	64	137	47,6	32,92x3.53	415	6000
2020000836	CH1620FPB	25	16	1	1.1/4	68	141	54	37,69x3,53	415	6000
2020000852	CH2020FPB	31	20	1.1/4	1.1/4	69	157	54	37,69x3,53	415	6000
2020000859	CH2024FPB	31	20	1.1/4	1.1/2	79	166	63,5	47,22x3,53	415	6000
2020000874	CH2424FPB	38	24	1.1/2	1.1/2	79	173	63,5	47,22x3,53	415	6000
2020000889	CH3232FPB	51	32	2	2	97	195	79,4	56,74x3,53	345	5000

CH---FP45B - 45° SWEPT ELBOW - SAE J518 FLANGE - 6000 PSI - ONE PIECE





000000100 10SAP1010 101010000 100011111								mm				
	CODE	DN	SIZE	INCH	INCH	H	L	K	A	O'RING	BAR	PSI
2020000794	CH1212FP45B	19	12	3/4	3/4	67	129	31	41,3	24,99x3,53	350	5000
2020000804	CH1216FP45B	19	12	3/4	1	71	132	34	47,6	32,92x3.53	350	5000
2020066426	CH1612FP45B	25	16	1	3/4	78	151	31	41,3	24,99x3,53	350	5000
2020000824	CH1616FP45B	25	16	1	1	82	155	35	47,6	32,92x3.53	350	5000
2020000834	CH1620FP45B	25	16	1	1.1/4	87	160	40	54	37,69x3,53	280	4000
2020000850	CH2020FP45B	31	20	1.1/4	1.1/4	100	188	40	54	37,69x3,53	280	4000
2020036695	CH2024FP45B	31	20	1.1/4	1.1/2	105	193	45	63,5	47,22x3,53	210	3000
2020000872	CH2424FP45B	38	24	1.1/2	1.1/2	117	211	46	63,5	47,22x3,53	210	3000
2020000887	CH3232FP45B	51	32	2	2	154	252	60	79,4	56,74x3,53	210	3000

CH---FP90B - 90° SWEPT ELBOW - SAE J518 FLANGE - 6000 PSI - ONE PIECE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	INCH	H	L	K mm	A	O'RING	BAR	PSI
2020000795	CH1212FP90B	19	12	3/4	3/4	56	118	61	41,3	24,99x3,53	420	6000
2020000805	CH1216FP90B	19	12	3/4	1	56	118	66	47,6	32,92x3.53	420	6000
2020066427	CH1612FP90B	25	16	1	3/4	72	145	67	41,3	24,99x3,53	415	6000
2020000825	CH1616FP90B	25	16	1	1	72	145	72	47,6	32,92x3.53	415	6000
2020000835	CH1620FP90B	25	16	1	1.1/4	72	145	79	54	37,69x3,53	415	6000
2020000851	CH2020FP90B	31	20	1.1/4	1.1/4	91	178	86	54	37,69x3,53	415	6000
2020000858	CH2024FP90B	31	20	1.1/4	1.1/2	91	178	93	63,5	47,22x3,53	415	6000
2020000873	CH2424FP90B	38	24	1.1/2	1.1/2	108	202	100	63,5	47,22x3,53	415	6000
2020000888	CH3232FP90B	51	32	2	2	143	240	131	79,4	56,74x3,53	345	5000

T: 01953 857 158
F: 01953 857 159
E: sales@stauffanglia.co.uk

CH---YBP - STRAIGHT "SUPERCAT" FLANGE - ONE PIECE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	INCH	H	L	A	O'RING	BAR	PSI
2020066428	CH1212YPB	19	12	3/4	3/4	64	126	41,3	24,99x3,53	420	6000
2020066429	CH1216YPB	19	12	3/4	1	65	127	47,6	32,92x3.53	420	6000
2020000830	CH1616YPB	25	16	1	1	69	142	47,6	32,92x3.53	420	6000
2020066430	CH1620YPB	25	16	1	1.1/4	72	145	54	37,69x3,53	420	6000
2020043095	CH2020YPB	31	20	1.1/4	1.1/4	73	161	54	37,69x3,53	420	6000
2020066431	CH2024YPB	31	20	1.1/4	1.1/2	80	168	63,5	47,22x3,53	420	6000
2020066432	CH2424YPB	38	24	1.1/2	1.1/2	81	175	63,5	47,22x3,53	350	5000

CH---YP45B - 45° "SUPERCAT" FLANGE - ONE PIECE





000000100 10SAP1010 101010000 100011111	CODE	DN	SIZE	INCH	INCH	H	L	K	A	O'RING	BAR	PSI
2020066433	CH1212YP45B	19	12	3/4	3/4	73	135	37	41,3	24,99x3,53	420	6000
2020066434	CH1216YP45B	19	12	3/4	1	76	137	39	47,6	32,92x3.53	420	6000
2020066435	CH1616YP45B	25	16	1	1	87	160	40	47,6	32,92x3.53	420	6000
2020066436	CH1620YP45B	25	16	1	1.1/4	88	161	41	54	37,69x3,53	420	6000
2020066437	CH2020YP45B	31	20	1.1/4	1.1/4	102	189	42	54	37,69x3,53	420	6000
2020066438	CH2024YP45B	31	20	1.1/4	1.1/2	108	196	48	63,5	47,22x3,53	420	6000
2020066439	CH2424YP45B	38	24	1.1/2	1.1/2	120	214	49	63,5	47,22x3,53	350	5000

CH---YP90B - 90° "SUPERCAT" FLANGE - ONE PIECE





000000100 10SAP1010 101010000 100011111								mm				
	CODE	DN	SIZE	INCH	INCH	H	L	K	A	O'RING	BAR	PSI
2020000800	CH1212YP90B	19	12	3/4	3/4	55	117	70	41,3	24,99x3,53	420	6000
2020000808	CH1216YP90B	19	12	3/4	1	55	117	73	47,6	32,92x3.53	420	6000
2020000829	CH1616YP90B	25	16	1	1	71	144	79	47,6	32,92x3.53	420	6000
2020066440	CH1620YP90B	25	16	1	1.1/4	71	144	82	54	37,69x3,53	420	6000
2020043096	CH2020YP90B	31	20	1.1/4	1.1/4	90	177	89	54	37,69x3,53	420	6000
2020066441	CH2024YP90B	31	20	1.1/4	1.1/2	90	177	97	63,5	47,22x3,53	420	6000
2020066442	CH2424YP90B	38	24	1.1/2	1.1/2	107	201	105	63,5	47,22x3,53	350	5000